



**AYVAKIT**®  
avapritinib | tablets

## Access and Reimbursement Guide for Healthcare Providers

Information on Distribution,  
Patient Support, Coverage, and Access

**Enroll your patients at time of prescription**  
to support the patient experience and access to programs



[www.YourBlueprint.com](http://www.YourBlueprint.com)

Blueprint Medicines is pleased to provide this information to help you and your office staff navigate coverage and access for AYWAKIT® (avapritinib). It is not intended to supersede any individual payer guidance and/or processes. Please be sure to check directly with each patient's insurance for any specific requirements needed to help obtain coverage and access. This document is presented for informational purposes only and does not guarantee reimbursement.

## Table of Contents

### PRODUCT INFORMATION

Indication & Important Safety Information.....	3
Dosing & Administration.....	4
Ordering Information.....	6

### PATIENT SUPPORT WITH YOURBLUEPRINT®

Overview of Support Services Provided for Eligible Patients by Blueprint Medicines.....	7
--	---

### NAVIGATING THE APPROVAL PROCESS

Benefits Verification.....	13
Prior Authorization (PA) Checklist.....	14

### DENIALS & APPEALS

Common Reasons for Coverage Denials.....	15
AYVAKIT (avapritinib) Appeals Request Checklist.....	16
Sample Coverage Determination Request Letters.....	17

### DIAGNOSTIC CODING

Advanced Systemic Mastocytosis (AdvSM) and Indolent Systemic Mastocytosis (ISM).....	18
PDGFRA Exon 18 Mutation-Positive Unresectable or Metastatic GIST.....	19

# Product Information



## INDICATION

AYVAKIT® (avapritinib) is indicated for the treatment of adult patients with:

### Unresectable or Metastatic Gastrointestinal Stromal Tumor (GIST)

harboring a platelet-derived growth factor receptor alpha (PDGFRA) exon 18 mutation, including PDGFRA D842V mutations

### Advanced SM (AdvSM)

including patients with aggressive systemic mastocytosis (ASM), systemic mastocytosis with an associated hematological neoplasm (SM-AHN), and mast cell leukemia (MCL)

Limitations of Use: AYVAKIT is not recommended for the treatment of patients with AdvSM with platelet counts of  $<50 \times 10^9/L$

### Indolent Systemic Mastocytosis (ISM)

Limitations of Use: AYVAKIT is not recommended for the treatment of patients with ISM with platelet counts of  $<50 \times 10^9/L$

## IMPORTANT SAFETY INFORMATION

There are no contraindications for AYVAKIT.

**Intracranial Hemorrhage**—Serious intracranial hemorrhage (ICH) may occur with AYVAKIT treatment; fatal events occurred in  $<1\%$  of patients. Overall, ICH (e.g, subdural hematoma, ICH, and cerebral hemorrhage) occurred in 2.9% of 749 patients who received AYVAKIT in clinical trials. In GIST patients, ICH occurred in 3 of 267 patients (1.1%) and two (0.7%) of the events were Grade  $\geq 3$  and resulted in discontinuation. In AdvSM patients who received AYVAKIT at 200 mg daily, ICH occurred in 2 of 75 patients (2.7%) who had platelet counts  $\geq 50 \times 10^9/L$  prior to initiation of therapy and in 3 of 80 patients (3.8%) regardless of platelet counts. In ISM patients, no events of ICH occurred in the 246 patients who received any dose of AYVAKIT in the PIONEER study.

Monitor patients closely for risk factors of ICH which may include history of vascular aneurysm, ICH or cerebrovascular accident within the prior year, concomitant use of anticoagulant drugs, or thrombocytopenia.

Symptoms of ICH may include headache, nausea, vomiting, vision changes, or altered mental status. Advise patients to seek immediate medical attention for signs or symptoms of ICH.

Permanently discontinue AYVAKIT if ICH of any grade occurs. In AdvSM patients, a platelet count must be performed prior to initiating therapy. AYVAKIT is not recommended in AdvSM patients with platelet counts  $<50 \times 10^9/L$ . Following treatment initiation, platelet counts must be performed every 2 weeks for the first 8 weeks. After 8 weeks of treatment, monitor platelet counts every 2 weeks or as clinically indicated based on platelet counts. Manage platelet counts of  $<50 \times 10^9/L$  by treatment interruption or dose reduction.

**Cognitive Effects**—Cognitive adverse reactions can occur in patients receiving AYVAKIT and occurred in 33% of 995 patients overall in patients who received AYVAKIT in clinical trials including: 41% of 601 GIST patients (5% were Grade  $\geq 3$ ), 28% of 148 AdvSM patients (3% were Grade  $\geq 3$ ), and 7.8% of patients with ISM who received AYVAKIT + best supportive care (BSC) versus 7.0% of patients who received placebo + BSC ( $<1\%$  were Grade 3). Depending on the severity and indication, withhold AYVAKIT and then resume at same dose or at a reduced dose upon improvement, or permanently discontinue.

**Photosensitivity**—AYVAKIT may cause photosensitivity reactions. In all patients treated with AYVAKIT in clinical trials (n=1049), photosensitivity reactions occurred in 2.5% of patients. Advise patients to limit direct ultraviolet exposure during treatment with AYVAKIT and for one week after discontinuation of treatment.

**Embryo-Fetal Toxicity**—AYVAKIT can cause fetal harm when administered to a pregnant woman. Advise pregnant women of the potential risk to a fetus. Advise females and males of reproductive potential to use an effective contraception during treatment with AYVAKIT and for 6 weeks after the final dose of AYVAKIT. Advise women not to breastfeed during treatment with AYVAKIT and for 2 weeks following the final dose.

## IMPORTANT SAFETY INFORMATION (CONT.)

**Adverse Reactions**—The most common adverse reactions ( $\geq 20\%$ ) in patients with unresectable or metastatic GIST were edema, nausea, fatigue/asthenia, cognitive impairment, vomiting, decreased appetite, diarrhea, increased lacrimation, abdominal pain, constipation, rash, dizziness, and hair color changes.

The most common adverse reactions ( $\geq 20\%$ ) in patients with AdvSM were edema, diarrhea, nausea, and fatigue/asthenia.

The most common adverse reactions ( $\geq 10\%$ ) in patients with ISM were eye edema, dizziness, peripheral edema, and flushing.

**Drug Interactions**—Avoid coadministration of AYWAKIT with strong or moderate CYP3A inhibitors. If coadministration with a moderate CYP3A inhibitor cannot be avoided in patients with GIST or AdvSM, reduce dose of AYWAKIT. Avoid coadministration of AYWAKIT with strong or moderate CYP3A inducers.

To report suspected adverse reactions, contact Blueprint Medicines Corporation at 1-888-258-7768 or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

AYVAKIT is available in 25 mg, 50 mg, 100 mg, 200 mg and 300 mg tablets.

## DOSING & ADMINISTRATION

### Recommended Administration (Section 2.1)\*

Administer AYWAKIT® orally on an empty stomach, at least 1 hour before or 2 hours after a meal.

Do not make up for a missed dose within 8 hours of the next scheduled dose.

Do not repeat dose if vomiting occurs after AYWAKIT but continue with the next scheduled dose.

### GIST Harboring PDGFRA Exon 18 Mutations (Section 2.2)\*

Select patients for treatment with AYWAKIT based on the presence of a PDGFRA exon 18 mutation. An FDA-approved test for the detection of exon 18 mutations is not currently available.

The recommended dosage of AYWAKIT is 300 mg orally once daily in patients with GIST. Continue treatment until disease progression or unacceptable toxicity.

### Advanced Systemic Mastocytosis (Section 2.3)\*

The recommended dosage of AYWAKIT is 200 mg orally once daily in adult patients with AdvSM. Continue treatment until disease progression or unacceptable toxicity.

### Indolent Systemic Mastocytosis (Section 2.4)\*

The recommended dosage of AYWAKIT is 25 mg orally once daily in patients with ISM.

### Dosage Modifications for Adverse Reactions (Section 2.5)\*

The recommended dosage reductions and modifications for adverse reactions are provided in the tables below.

#### Recommended Dosage Reductions for AYWAKIT for Adverse Reactions

Dose Reduction Level	Dosage in patients with GIST <sup>†</sup>	Dosage in patients with AdvSM <sup>‡</sup>
First dose reduction	200 mg once daily	100 mg once daily
Second dose reduction	100 mg once daily	50 mg once daily
Third dose reduction	–	25 mg once daily

<sup>†</sup>Permanently discontinue AYWAKIT in patients with GIST who are unable to tolerate a dose of 100 mg once daily.

<sup>‡</sup>Permanently discontinue AYWAKIT in patients with AdvSM who are unable to tolerate a dose of 25 mg once daily.

\*AYVAKIT® (avapritinib) Prescribing Information. Blueprint Medicines Corporation; Cambridge, MA.



### Recommended Dosage Modifications for AYWAKIT® for Adverse Reactions

Adverse Reaction	Severity*	Dosage Modification
<b>Patients with GIST or AdvSM</b>		
Intracranial Hemorrhage	Any grade	Permanently discontinue AYWAKIT.
Cognitive Effects	Grade 1	Continue AYWAKIT at same dose or reduced dose or withhold until improvement to baseline or resolution. Resume at same dose or reduced dose.
	Grade 2 or Grade 3	Withhold AYWAKIT until improvement to baseline, Grade 1, or resolution. Resume at same dose or reduced dose.
	Grade 4	Permanently discontinue AYWAKIT.
Other	Grade 3 or Grade 4	Withhold AYWAKIT until improvement to less than or equal to Grade 2. Resume at same dose or reduced dose, as clinically appropriate.
<b>Patients with AdvSM</b>		
Thrombocytopenia	<50 × 10 <sup>9</sup> /L	Interrupt AYWAKIT until platelet count is ≥50 × 10 <sup>9</sup> /L, then resume at reduced dose. If platelet counts do not recover above 50 × 10 <sup>9</sup> /L, consider platelet support.

\*Severity as defined by the National Cancer Institute Common Terminology Criteria for Adverse Events version 5.0.

### Concomitant Use of Strong and Moderate CYP3A Inhibitors (Section 2.6)<sup>†</sup>

Avoid concomitant use of AYWAKIT with strong or moderate CYP3A inhibitors. If concomitant use with a moderate CYP3A inhibitor cannot be avoided, the starting dosage of AYWAKIT is as follows:

- GIST: 100 mg orally once daily
- AdvSM: 50 mg orally once daily

For ISM, avoid concomitant use of AYWAKIT with strong or moderate CYP3A inhibitors.

### Dosage Modifications for Severe Hepatic Impairment (Section 2.7)<sup>†</sup>

A modified starting dosage of AYWAKIT is recommended for patients with severe hepatic impairment (Child-Pugh Class C):

- GIST: 200 mg orally once daily
- AdvSM: 100 mg orally once daily
- ISM: 25 mg orally every other day

<sup>†</sup>AYVAKIT® (avapritinib) Prescribing Information. Blueprint Medicines Corporation; Cambridge, MA.



## ORDERING INFORMATION

AYVAKIT® (avapritinib) is available through a limited network of specialty pharmacies and specialty distributors.

### Specialty Pharmacy Provider Network

To prescribe AYVAKIT, please complete the YourBlueprint® Enrollment Form and fax it to 1-866-370-3082, or send your patient’s prescription to one of the authorized specialty pharmacies listed below.

#### Biologics

Phone: 1-800-850-4306  
 Fax: 1-800-823-4506  
 ePrescribe: Biologics or  
 NPI# 1487640314

#### Onco360

Phone: 1-877-662-6633  
 Fax: 1-877-662-6355  
 ePrescribe: Oncomed DBA Onco360 or  
 NPI# 1679618151

### Specialty Distribution Network

The following specialty distributors are authorized to drop-ship AYVAKIT to qualified accounts.

#### Physician Dispensing Offices

##### Cardinal Health Specialty Distribution

Phone: 1-855-855-0708  
 Email: [GMB-SPD-Specialty@cardinalhealth.com](mailto:GMB-SPD-Specialty@cardinalhealth.com)

##### McKesson Specialty Health

Phone: 1-855-477-9800  
 Email: [MSH.CustomerCare-MSPL@mckesson.com](mailto:MSH.CustomerCare-MSPL@mckesson.com)

##### Oncology Supply

Phone: 1-800-633-7555  
 Email: [service@oncologysupply.com](mailto:service@oncologysupply.com)

#### Institutions/Hospitals

##### ASD Healthcare

Phone: 1-800-746-6273  
 Email: [service@asdhealthcare.com](mailto:service@asdhealthcare.com)

##### Cardinal Health Specialty Distribution

Phone: 1-855-855-0708  
 Email: [GMB-SPD-Specialty@cardinalhealth.com](mailto:GMB-SPD-Specialty@cardinalhealth.com)

##### McKesson Plasma and Biologics

Phone: 1-877-625-2566  
 Email: [MPBOrders@mckesson.com](mailto:MPBOrders@mckesson.com)

Blueprint Medicines does not endorse the use of any particular specialty pharmacy or specialty distributor listed above and makes no representation or guarantee of services or coverage of any product. This list is current as of 5/2024 and may be updated from time to time.

## AYVAKIT Product Information

AYVAKIT tablets are supplied in 5 dosage strengths:

Dosage Strength	300 mg	200 mg	100 mg	50 mg	25 mg
NDC Codes	10-digit code: 72064-130-30 11-digit code: 72064-0130-30	10-digit code: 72064-120-30 11-digit code: 72064-0120-30	10-digit code: 72064-110-30 11-digit code: 72064-0110-30	10-digit code: 72064-150-30 11-digit code: 72064-0150-30	10-digit code: 72064-125-30 11-digit code: 72064-0125-30
Description	300 mg, capsule-shaped, white film-coated tablet, printed with blue ink "BLU" on one side and "300" on the other side; available in bottles of 30 tablets.	200 mg, capsule-shaped, white film-coated tablet, printed with blue ink "BLU" on one side and "200" on the other side; available in bottles of 30 tablets.	100 mg, round, white film-coated tablet, printed with blue ink "BLU" on one side and "100" on the other side; available in bottles of 30 tablets.	50 mg, round, white film-coated tablet with debossed text. One side reads "BLU" and the other side reads "50"; available in bottles of 30 tablets.	25 mg, round, white film-coated tablet with debossed text. One side reads "BLU" and the other side reads "25"; available in bottles of 30 tablets.

Please note that splitting or breaking up individual pills is not advised.

The **blue** zero converts the 10-digit NDC code to the 11-digit NDC code. Some payers may require each NDC to be listed on the claim. Payer requirements regarding the use of NDCs may vary. Electronic data exchange generally requires use of the 11-digit NDC.

**Storage:** Store AYVAKIT at controlled room temperature 20 °C to 25 °C (68 °F to 77 °F); excursions are permitted between 15 °C and 30 °C (59 °F and 86 °F) [see USP Controlled Room Temperature].



# Patient Support with YourBlueprint®

## Enroll your patients at time of prescription

to support the patient experience and access to programs



YourBlueprint is a patient support program designed with your patients in mind. YourBlueprint assists eligible patients throughout many aspects of treatment by providing a variety of support along the treatment journey.

### Resources to assist your patients with financial needs



#### CO-PAY ASSISTANCE

Eligible patients with commercial insurance may be able to reduce their out-of-pocket costs (co-pay, co-insurance, or deductible) to as little as \$0 per fill up to an annual maximum of \$25,000. Please contact YourBlueprint to learn more about eligibility



#### PATIENT ASSISTANCE PROGRAM (PAP)

Eligible patients with no insurance, limited coverage, or unaffordable out-of-pocket costs may be able to receive their medication at no cost

### Resources to ensure continued access



#### COVERAGE INTERRUPTION

A no-cost, limited supply in the event of a patient experiencing a temporary lapse in coverage while on therapy



#### DOSE EXCHANGE

Allows patients whose healthcare provider (HCP) recommends a dose modification to exchange their remaining medication for the new dose at no cost

### Resources to help your patients rapidly access treatment once prescribed and while coverage is being confirmed



#### QUICKSTART

A no-cost, limited supply in the event of an insurance coverage delay



#### REIMBURSEMENT SUPPORT AND RESOURCES

Benefits verification and resources related to prior authorizations, appeals, and formulary exceptions provided by Blueprint Medicines

### Personalized support



#### DEDICATED CASE MANAGERS

Case Managers will be the single point of contact throughout your patient's treatment journey. They will help with program enrollment and provide coordination between you, your patients and the pharmacy

Learn more about accessing each of the programs in the following pages

If you are interested in learning more about dispensing AYWAKIT (avapritinib), visit [www.ayvakithcp.com](http://www.ayvakithcp.com) and go to the "Product Order Information" section



Phone: 1-888-BLUPRNT  
(1-888-258-7768)



Fax: 1-866-370-3082



[info@yourblueprint.com](mailto:info@yourblueprint.com)



Monday-Friday 8 AM-8 PM ET



[www.YourBlueprint.com](http://www.YourBlueprint.com)



## To access support services for your patient, fill out the YourBlueprint® enrollment form

- Be sure to completely fill in the [enrollment form](#), including patient signatures and HCP signature. If the patient is unable to sign in person, the patient can submit their signature through [DocuSign](#)
- Submitting the enrollment form to YourBlueprint at the time of prescribing will enable the YourBlueprint team to proactively support your patient's access needs



Select for reimbursement support, including benefits summary, prior authorization, appeals and formulary exceptions support

Select any or all medication access resources within prescription section 8. If all portions of the prescription section are submitted upon initial enrollment, patients can more rapidly access those resources if needed in the future without having to reach back out to your office or pharmacy – Patient Assistance Program (PAP) (8A), QuickStart (8B) and Coverage Interruption (8C)

Upon receipt of enrollment form, YourBlueprint will reach out to your office to review next steps.

Section	Dose Strengths and Quantity	Refills
8A. AYVAKIT (Require with all enrollment forms)	<input type="radio"/> 25 mg (30 tablets) <input type="radio"/> 50 mg (30 tablets) <input type="radio"/> 100 mg (30 tablets) <input type="radio"/> 200 mg (30 tablets) <input type="radio"/> 300 mg (30 tablets)	Refills: _____
8B. AYVAKIT QuickStart (For newly prescribed patients in the event of delay in coverage decision)	<input type="radio"/> 25 mg (15 tablets) <input type="radio"/> 50 mg (15 tablets) <input type="radio"/> 100 mg (15 tablets) <input type="radio"/> 200 mg (15 tablets) <input type="radio"/> 300 mg (15 tablets)	Refills: 3
8C. AYVAKIT Coverage Interruption (For eligible existing patients during lapse in coverage)	<input type="radio"/> 25 mg (15 tablets) <input type="radio"/> 50 mg (15 tablets) <input type="radio"/> 100 mg (15 tablets) <input type="radio"/> 200 mg (15 tablets) <input type="radio"/> 300 mg (15 tablets)	Refills: 1

## SUBMIT THE ENROLLMENT FORM TO YOURBLUEPRINT:



Online:

[Ayvakit.rxlightning.com/enrollment](http://Ayvakit.rxlightning.com/enrollment)

OR



Fax:

1-866-370-3082

OR



Email:

[info@yourblueprint.com](mailto:info@yourblueprint.com)

## For patients unable to sign in person:

Select E-consent and sign via [DocuSign](#)\*

\*DocuSign can be completed on computer, mobile device, or tablet

OR

Download Consent Form and return via:

- Email to [info@yourblueprint.com](mailto:info@yourblueprint.com) - or -
- Mail to YourBlueprint  
13410 Eastpoint Centre Drive, Louisville, KY 40233



Phone: 1-888-BLUPRNT  
(1-888-258-7768)



Fax: 1-866-370-3082



[info@yourblueprint.com](mailto:info@yourblueprint.com)



Monday-Friday 8 AM-8 PM ET



[www.YourBlueprint.com](http://www.YourBlueprint.com)

FOR CO-PAY ENROLLMENT, PLEASE VISIT [PORTAL.TRIALCARD.COM/YOURBLUEPRINT](http://PORTAL.TRIALCARD.COM/YOURBLUEPRINT)

Please see the Important Safety Information on [page 3-4](#) and [click here](#) to see the full [Prescribing Information](#) for AYVAKIT (avapritinib).



# Supporting Access to Treatment




## REIMBURSEMENT RESOURCES

### What is it?

YourBlueprint® will work with the patient’s insurance plan to determine the path to access and communicate with you the requirements for coverage, including the correct form to submit, the supporting documentation to provide, and where to send it

### What do we need from you?

- Complete the [enrollment form](#) for your patient, selecting the option to request additional support with prior authorizations and/or appeals



- Check here if you would like additional support with prior authorizations and/or appeals.
- Ensure patient’s insurance information is completed on the form

## QUICKSTART

### What is it?

Should the patient’s coverage determination be delayed more than 5 business days from the date your office submits the Prior Authorization (PA) to the payer, YourBlueprint will provide eligible patients with up to a 60-day limited supply of no-cost medication pending a final coverage determination or, if needed, a PAP eligibility determination may be made

### What do we need from you?

- Complete the [enrollment form](#) for your patient, selecting the QuickStart prescription in section 8B of the enrollment form
- Provide YourBlueprint with the PA submission date with the enrollment form

Phone: 1-888-BLUPRNT  
(1-888-258-7768)

Fax: 1-866-370-3082

info@yourblueprint.com

Monday-Friday 8 AM-8 PM ET

www.YourBlueprint.com

FOR CO-PAY ENROLLMENT, PLEASE VISIT [PORTAL.TRIALCARD.COM/YOURBLUEPRINT](https://portal.trialcard.com/yourblueprint)

Please see the Important Safety Information on [page 3-4](#) and [click here](#) to see the full [Prescribing Information](#) for AYAKIT (avapritinib).

## Financial Needs



### CO-PAY ASSISTANCE

#### What is it?

For eligible patients enrolled in co-pay assistance who have commercial insurance, YourBlueprint® will assist with their out-of-pocket expenses, and patients can pay as little as \$0 for their Blueprint Medicines therapy up to an annual maximum of \$25,000. Please contact YourBlueprint to learn more about eligibility

#### What do we need from you?

- Enroll your patient via the online portal [here](#)
- Once enrolled, adjudication information will be assigned to your patient and you can adjudicate the claim using your pharmacy system

**Your Medically Integrated Dispensing (MID) pharmacy must be contracted with our co-pay processor to adjudicate claims. Contact your Blueprint Medicines Area Business Manager for more information.**

### PATIENT ASSISTANCE PROGRAM (PAP)

#### What is it?

Patients with no insurance, no coverage for AYPVAKIT® (avapritinib), or high out-of-pocket costs, including Medicare Part D, for their Blueprint Medicines therapy may be eligible to receive their therapy at no cost through our non-commercial dispensing pharmacy

#### What do we need from you?

- Complete the [enrollment form](#) for your patient, selecting the prescription in section 3 and 8A of the enrollment form
- If patient has insurance but no coverage for their therapy, provide YourBlueprint the prior authorization and two (2) subsequent appeal denials with the enrollment form

**Please contact YourBlueprint for current eligibility criteria.**



Phone: 1-888-BLUPRNT  
(1-888-258-7768)



Fax: 1-866-370-3082



[info@yourblueprint.com](mailto:info@yourblueprint.com)



Monday-Friday 8 AM-8 PM ET



[www.YourBlueprint.com](http://www.YourBlueprint.com)

**FOR CO-PAY ENROLLMENT, PLEASE VISIT [PORTAL.TRIALCARD.COM/YOURBLUEPRINT](https://portal.trialcard.com/yourblueprint)**

Please see the Important Safety Information on [page 3-4](#) and [click here](#) to see the full [Prescribing Information](#) for AYPVAKIT (avapritinib).

## Continued Access to Treatment While on Therapy



### COVERAGE INTERRUPTION

#### What is it?

Should the patient experience a temporary lapse in coverage for their therapy, YourBlueprint® will provide eligible patients with a limited supply of no-cost medication. Examples of eligible coverage lapse could be PA expiration or job transition

#### What do we need from you?

- Complete the [enrollment form](#) for your patient, selecting the Coverage Interruption prescription in section 8C of the enrollment form

### DOSE EXCHANGE

#### What is it?

Should the patient experience a dose modification while on AYWAKIT® (avapritinib), the patient may exchange their remaining medication for the new prescribed dose at no cost to them

#### What do we need from you?

- Complete the [Dose Exchange Form](#) for your patient and submit to the YourBlueprint non-commercial pharmacy for dispensing

### DEDICATED SUPPORT

Case Managers will be the single point of contact throughout your patients' treatment journey. They will help with program enrollment and provide coordination between you, your patients, and the pharmacy. Case Managers can also help your patients through non-clinical aspects of therapy by providing 1:1 support and patient education resources.

**All programs are subject to eligibility criteria. For more information, please connect with YourBlueprint for details.**



Phone: 1-888-BLUPRNT  
(1-888-258-7768)



Fax: 1-866-370-3082



[info@yourblueprint.com](mailto:info@yourblueprint.com)



Monday-Friday 8 AM-8 PM ET



[www.YourBlueprint.com](http://www.YourBlueprint.com)

FOR CO-PAY ENROLLMENT, PLEASE VISIT [PORTAL.TRIALCARD.COM/YOURBLUEPRINT](https://portal.trialcard.com/yourblueprint)

Please see the Important Safety Information on [page 3-4](#) and [click here](#) to see the full [Prescribing Information](#) for AYWAKIT (avapritinib).

## DOSE EXCHANGE PROGRAM



At times, a patient’s dose may need to be adjusted during the course of treatment, and in order to facilitate this process, the YourBlueprint® Dose Exchange Program is available. If your patient meets the requirements outlined in the Program Eligibility section below, they may qualify for this program. Please fax the completed and signed form to YourBlueprint.

Please note that the YourBlueprint Dose Exchange Program is facilitated by the YourBlueprint non-commercial pharmacy and not by the pharmacy to which the patient’s previous prescription was submitted. For future refills, a new prescription will need to be submitted to the patient’s current dispensing pharmacy.

### In order to be eligible to participate in the Dose Exchange Program:

- Prescriber must complete the [Dose Exchange Form](#)
- Patient must reside in the United States or its territories
- Patient must have remaining pills from a current prescription
- Patient must return his or her remaining pills. Instructions for return will be provided with a pre-addressed envelope for the patient to return the unused quantity of previous strength
- Patient must not have already had 2 separate dose adjustments under the YourBlueprint Dose Exchange Program

**AYVAKIT® (avapritinib)**  
**DOSE EXCHANGE FORM**

At times, a patient’s dose may need to be adjusted during the course of treatment, and in order to facilitate this process, the YourBlueprint® AYVAKIT Dose Exchange Program is available. If your patient meets the requirements outlined in the Program Eligibility section below, they may qualify for this program. Please fax the completed and signed form to YourBlueprint.

Please note that the YourBlueprint AYVAKIT Dose Exchange Program is facilitated by the YourBlueprint non-commercial pharmacy and not by the pharmacy to which the patient’s previous prescription was submitted. For future refills, a new prescription will need to be submitted to the patient’s current dispensing pharmacy.

1. PROGRAM ELIGIBILITY

In order to be eligible to participate in the AYVAKIT Dose Exchange Program:

- Prescriber must complete the AYVAKIT Dose Exchange Form
- Patient must reside in the United States or its territories
- Patient must have remaining pills from a current prescription
- Patient must return his or her remaining pills. Instructions for return will be provided with a pre-addressed envelope for the patient to return the unused quantity of previous strength
- Patient must not have already had three (3) separate dose adjustments under the YourBlueprint AYVAKIT Dose Exchange Program

2. PATIENT INFORMATION

Patient Name (First, MI, Last) \_\_\_\_\_ DOB (MM/DD/YYYY) \_\_\_\_\_  
 Patient Phone \_\_\_\_\_ Patient Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

3. PRESCRIBER INFORMATION

Prescriber Name (First, MI, Last) \_\_\_\_\_  
 Practice Name \_\_\_\_\_ Practice Contact \_\_\_\_\_  
 Practice Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_

4. AYVAKIT REPLACEMENT PRESCRIPTION

Current AYVAKIT Dose:	New AYVAKIT Dose (No Refills):
<input type="radio"/> 25 mg (30 tablets)	<input type="radio"/> 25 mg (30 tablets)
<input type="radio"/> 50 mg (30 tablets)	<input type="radio"/> 50 mg (30 tablets)
<input type="radio"/> 100 mg (30 tablets)	<input type="radio"/> 100 mg (30 tablets)
<input type="radio"/> 200 mg (30 tablets)	<input type="radio"/> 200 mg (30 tablets)
<input type="radio"/> 300 mg (30 tablets)	<input type="radio"/> 300 mg (30 tablets)

Directions for use: \_\_\_\_\_

SIGN HERE Prescriber’s Signature \_\_\_\_\_ Date \_\_\_\_\_

**Special Note:** If a New York prescriber, please use an original New York State prescription form. The prescriber is to comply with the prescriber’s state-specific prescription requirements.

5. TERMS AND CONDITIONS

- The AYVAKIT Dose Exchange Program is available to a given patient for up to three (3) separate dose adjustments. The quantity to exchange may not exceed 30 tablets per adjustment.  
 - The prescriber, prescriber’s institution, and patient will not submit a claim for reimbursement or otherwise seek payment from any source for the dose exchange product, and the dose exchange product will not be returned to Blueprint Medicines or its distributor for a refund or credit.  
 - Product provided in this program is intended only for the patient listed on this form. The product provided may not be given to any other patient or distributed elsewhere.

**I agree to the terms and conditions outlined on this form:**

SIGN HERE Prescriber’s Signature \_\_\_\_\_ Date \_\_\_\_\_

PLEASE FAX COMPLETED AND SIGNED FORM TO 1-866-370-3082

Phone: 1-888-BLUPRINT (1-888-258-7768)
Fax: 1-866-370-3082
Monday-Friday 8 AM-8 PM ET
www.YourBlueprint.com

AYVAKIT, Blueprint Medicines, YourBlueprint and associated logos are trademarks of Blueprint Medicines Corporation. © 2024 Blueprint Medicines Corporation. 05/2024 USBP-PS9-19056.8

Phone: 1-888-BLUPRINT  
(1-888-258-7768)

Fax: 1-866-370-3082

Monday-Friday 8 AM-8 PM ET

[info@yourblueprint.com](mailto:info@yourblueprint.com)

[www.YourBlueprint.com](http://www.YourBlueprint.com)

FOR CO-PAY ENROLLMENT, PLEASE VISIT [PORTAL.TRIALCARD.COM/YOURBLUEPRINT](http://PORTAL.TRIALCARD.COM/YOURBLUEPRINT)

Please see the Important Safety Information on [page 3-4](#) and [click here](#) to see the full [Prescribing Information](#) for AYVAKIT (avapritinib).

## Navigating the Approval Process

Blueprint Medicines can help with questions you may have about the approval process, including prior authorization (PA) and navigating coverage denials for AYWAKIT® (avapritinib).

Contact YourBlueprint at **1-888-BLUPRNT** (1-888-258-7768) for assistance.



**ENROLL YOUR PATIENTS IN YOURBLUEPRINT AT TIME OF PRESCRIPTION  
TO SUPPORT THE PATIENT EXPERIENCE AND ACCESS TO PROGRAMS**

### BENEFITS VERIFICATION

**YourBlueprint and our network of specialty pharmacies can help conduct benefit verifications**

YourBlueprint and our network of specialty pharmacies can conduct a benefits verification to determine a patient's health insurance coverage and out-of-pocket costs. After verifying coverage, we will provide a summary of benefits to you over the phone as well as by fax. The patient can call to review the summary of benefits verbally, and upon request, receive a copy by mail.

**Prior authorization requirement? We can help**

YourBlueprint and our network of specialty pharmacies can support your patient through the process of managing a prior authorization requirement. Here is what you can expect:

First, we will coordinate with your patient's insurer to gather the prior authorization requirements, including the payer-specific documents



We will then contact you to help guide you through the submission process and provide you the necessary documents for you to complete, including a [documentation checklist](#)



After your office submits the prior authorization request, upon your request, we can track the progress and communicate the status of a prior authorization to you

## PRIOR AUTHORIZATION (PA) CHECKLIST

The information shown below may be required by payers to obtain a prior authorization for AYVAKIT® (avapritinib), however, individual payers may have their own forms or requirements.

In the case of a prior authorization denial or need for a formulary exception request, detailed information about those processes and documentation requirements are found in the Denials & Appeals section of this guide.



**Ensure you complete and submit all fields in the prior authorization form, as required by the payer, which may include:**

- Patient's name
- Patient's insurance company and policy number
- Patient's date of birth
- Patient's diagnosis / ICD-10 code(s)
- Provider details, specialty, contact information, and NPI number
- AYVAKIT NDC, dosage, route of administration, and estimated duration of treatment
- Proof of appropriate diagnosis
- Patient's lab results (e.g., platelet counts)
- Clinic notes with patient subtype

**Even if not part of the prior authorization form, it may also be helpful to include the following:**

- Full Prescribing Information
- Information related to the treatment decision
- Clinical practice guidelines

If a prior authorization has been denied, see [page 16](#) for an appeals checklist or available for download at [www.YourBlueprint.com/HCP](http://www.YourBlueprint.com/HCP)

**ENSURE YOUR OFFICE STAYS RESPONSIVE TO ALL YOURBLUEPRINT AND SPECIALTY PHARMACY FOLLOW UPS TO ENSURE TIMELY RESPONSES THROUGH THE PA PROCESS**

# Denials & Appeals

## COMMON REASONS FOR COVERAGE DENIALS

Here are some common reasons for coverage denials that may be resolvable through the appeals or formulary exception request processes.



### Missing Information

Coverage request is missing information or there was a data error



### New Drug

Not yet reviewed by payer and considered non-formulary



### Prior Authorization Required

PA not submitted with coverage request



### Insurance Information

Patient's insurance changed or coverage has lapsed

If a request for coverage of AYPVAKIT® (avapritinib) is denied, it may be resolvable through the standard appeals process, which consists of three levels.

**1**

### 1st Level Appeal

Contact payer to request a consideration of the denial. This may include a "peer-to-peer" discussion with the medical reviewer

**2**

### 2nd Level Appeal

At this step, the appeal is typically reviewed by a medical director of the plan to determine whether the request should be accepted within the coverage guidelines

**3**

### Independent External Review

If attempts to appeal a coverage decision have not been successful, an external review can be conducted by an independent third party to make a binding decision

**Patients may also assist with the appeals process.**

If a request for coverage of AYPVAKIT is denied, patients can contact their employer's benefits administrator or their health plan for additional information on how to appeal the payer's decision or to request an external review.

In some cases, it may be necessary to submit a formulary exception request to the payer. Common processes for commercial payers and Medicare Part D are described in this guide.



## AYVAKIT® (avapritinib) APPEALS REQUEST CHECKLIST

If the patient's health plan has not established coverage or has denied coverage for AYVAKIT, it may be necessary to submit an appeal or a formulary exception request.

The information below includes general information, however, individual payers may have their own forms or documentation requirements.

### Review the denial letter or notification received

**Understand why coverage for AYVAKIT was denied and consider the following common questions:**

- Has coverage for AYVAKIT been established for patient's condition / diagnosis?
- Did the prior authorization include all information as required by the payer or was information missing?  
Note: some payers may require confirmation of the diagnosis with associated documentation (e.g., provider attestation, bone marrow biopsy results)
- Was the insurance information correct?
- Did the patient's insurance change or coverage lapse?

### Initiate the appeals process

**Understand the payer's specific process or requirements:**

- Use payer-specific forms, if available
- Follow payer's instructions on the appeals submission process and filing timelines
- Include all required documentation such as
  - Letter of medical necessity
  - Biomarker status
  - Treatment rationale

A [sample letter](#) is provided in this guide and available for download at [www.YourBlueprint.com/HCP](http://www.YourBlueprint.com/HCP).

The sample letter is provided for information only and supplying the information with requests does not guarantee coverage for AYVAKIT. The information is not intended to substitute for or influence the physician's independent clinical decision.

# SAMPLE COVERAGE DETERMINATION REQUEST LETTERS

## Sample Letter of Medical Necessity

For use when submitting a PA [see checklist on [page 14](#)]

**Sample Letter of Medical Necessity**

[Physician Practice Letterhead at the top of the letter]  
[Date]

[Name of Insurance company]  
[Address]  
[City, State Zip Code]

Re: [Patient's Name]  
[Patient's Group Policy Number]  
[Patient's Date of Birth]

To whom it may concern:

I am writing on behalf of my patient, [Patient's Name], to document the medical necessity for [INSERT PRODUCT]™ (insert generic name) and to provide information about my patient's medical history and treatment to justify this therapy and subsequent payment.

Listed below are [Patient's Name] diagnosis, medical history, treatment plan, and other supporting information which confirm the medical necessity and appropriateness of [INSERT PRODUCT].

**Patient's diagnosis, medical history, treatment plan and any other supporting information**

[Include information regarding your patient's diagnosis, such as:

- o Brief description of the patient's diagnosis, including the applicable ICD-10 code(s);
- o History with this patient;
- o Previous therapies and results of such therapies;
- o Current treatment plan; and
- o Other supporting information (e.g., USPI, NCCN guidelines, HCP office-selected clinical notes).]

Enclosed in support of this matter are the following documents: [Practice to list the names of each document including the package insert and provide a short description of each document being attached]. Based on the above and attached information, I am confident that you will agree that [INSERT PRODUCT] is indicated and medically necessary for [Patient's Name].

Please contact me at [insert phone number of Practice OR Physician] for any additional information that you might need to ensure prompt approval of [INSERT PRODUCT] for [Patient's Name].

Sincerely,  
[Prescriber's Signature]  
[Prescriber's Name]  
[Attachments: Enclose supporting documentation]

## Sample Letter of Appeal

For use when appealing a coverage denial [see [page 15](#)]

**Sample Letter of Appeal**

[Physician Practice Letterhead at the top of the letter]  
[Date]

[Name of Medical Director]  
[Name of Insurance Company]  
[Address]  
[City, State Zip Code]

Re: [Patient's Name, Group Policy Number, Date of Birth] – Letter of Appeal for [INSERT PRODUCT]™ (generic name)

Dear [Medical Director Name],

Please consider this letter an appeal of your decision to deny coverage [Insert Denial Reason, if known] for [INSERT PRODUCT] for my patient, [Patient's Name]. I am requesting that you review my patient's denied claim for coverage and reverse your previous decision.

I have included additional information to support my decision to treat my patient with [INSERT PRODUCT]. In my clinical judgement, [INSERT PRODUCT] (as you will note from the information below and attached) is medically necessary and appropriate for [Patient's Name]. This letter includes information on [Patient's Name] medical history, prognoses and my medical rationale for selecting [INSERT PRODUCT] to be used.

**Summary of Medical History**  
[Patient's Name] is a [Age, Gender], [He/She] was diagnosed with [insert description of disease or condition] on [Date].  
[Include a brief description of patient's medical history and attach patient's chart notes].  
[Include product Package Insert and note that use is within labeled indication].

**Treatment Rationale**  
Given my patient's medical history, [the lack of response to other medications] and the patient's current condition and prognosis, I strongly believe that the use of [INSERT PRODUCT] for [Patient's Name] is medically necessary and appropriate and coverage should be approved.  
[Include any relevant clinical guidelines, such as NCCN guidelines]

**Please call me or my office staff at [Physician's telephone number OR Practice telephone number] if I can provide you with any additional information. I look forward to receiving your timely response and approval for treatment with [INSERT PRODUCT] for [Patient's Name].**

Sincerely,  
[Prescriber's Signature]  
[Prescriber's Name]  
[Attachments: Enclose supporting documentation]

## Sample Formulary Exception Request

For use when requesting a coverage exception when a drug is not yet covered on formulary [see [page 15](#)]

**Sample Formulary Exception Request**

[Physician Practice Letterhead at the top of the letter]  
[Date]

[Name of Medical/Formulary Director]  
[Name of Insurance Company]  
[Address]  
[City, State Zip Code]

Re: [Patient's Name, Group Policy Number, Date of Birth, Case Identification] – Formulary Exception Request for [INSERT PRODUCT]™ (insert generic name)

Dear [Medical/Formulary Director Name],

My name is [HCP's name] and I am a [board-certified medical specialty] [NPI]. I am writing to request a formulary exception for [INSERT PRODUCT] for my patient, [Patient's Name] who is currently a member of [name of health plan].

I have included additional information to support my decision to treat my patient with [INSERT PRODUCT]. In my clinical judgement, [INSERT PRODUCT] (as you will note from the information below and attached) is medically necessary and appropriate for [Patient's Name]. This letter includes information on [Patient's Name] medical history, prognoses and my medical rationale for selecting [INSERT PRODUCT] to be used. Therefore, I am requesting that the plan removed any relevant NDC blocks, so [INSERT PRODUCT] can be made available to my patient as a preferred medication.

**Summary of Medical History**  
[Patient's Name] is a [Age, Gender], [He/She] was diagnosed with [insert description of disease or condition] on [Date].  
[Include a brief description of patient's medical history and attach patient's chart notes].  
[Include [INSERT PRODUCT] Package Insert and note that use is within labeled indication].

**Treatment Rationale**  
Given my patient's medical history, [the lack of response to other medications] and the patient's current condition and prognosis, I strongly believe that the use of [INSERT PRODUCT] for [Patient's Name] is medically necessary and appropriate and coverage should be approved.  
[Include any relevant clinical guidelines, such as NCCN guidelines]

**Please call me or my office staff at [Physician's telephone number OR Practice telephone number] if I can provide you with any additional information. I look forward to receiving your timely response and approval for treatment with [INSERT PRODUCT] for [Patient's Name].**

Sincerely,  
[Prescriber's Signature]  
[Prescriber's Name]  
[Attachments: Enclose supporting documentation]



Electronic versions of these sample letters are available on [www.YourBlueprint.com/HCP](http://www.YourBlueprint.com/HCP)

# Diagnostic Coding

## DIAGNOSIS CODES FOR THE IDENTIFICATION OF ADVANCED SM

Based on the AdvSM indications for AYWAKIT® (avapritinib), examples of diagnosis codes that may be appropriate are listed below. The codes provided below are information only. Coding is a clinical decision that can only be made by a provider based on the condition of the patient being treated. The use of the following codes does not suggest or guarantee reimbursement and may not be comprehensive. The codes listed are current as of February 2024 and are subject to change.

### ICD-10 Diagnosis Codes

Code	Description
D47.02	Systemic mastocytosis
D47.09	Other mast cell neoplasms of uncertain behavior
C94.30	Mast cell leukemia, not having achieved remission
C94.31	Mast cell leukemia, in remission
C94.32	Mast cell leukemia, in relapse
C96.21	Aggressive systemic mastocytosis

## DIAGNOSIS CODES FOR THE IDENTIFICATION OF INDOLENT SYSTEMIC MASTOCYTOSIS

Based on the ISM indications for AYWAKIT, examples of diagnosis codes that may be appropriate are listed below. The codes provided below are information only. Coding is a clinical decision that can only be made by a provider based on the condition of the patient being treated. The use of the following codes does not suggest or guarantee reimbursement and may not be comprehensive. The codes listed are current as of February 2024 and are subject to change.

### ICD-10 Diagnosis Codes

Code	Description
D47.02	Systemic mastocytosis
D47.09	Other mast cell neoplasms of uncertain behavior

*KIT*, *KIT* proto-oncogene receptor tyrosine kinase; **CPT**, correct procedural terminology.

## PDGFRA Exon 18 Mutation-Positive Unresectable or Metastatic GIST

### DIAGNOSIS CODES FOR THE IDENTIFICATION OF GIST

Based on the PDGFRA Exon 18 Mutation-Positive Unresectable or Metastatic GIST indication for AYVAKIT® (avapritinib), examples of diagnosis codes that may be appropriate are listed below. The codes provided below are information only. Coding is a clinical decision that can only be made by a provider based on the condition of the patient being treated. The use of the following codes does not suggest or guarantee reimbursement and may not be comprehensive. The codes listed are current as of February 2024 and are subject to change.

#### ICD-10 Diagnosis Codes

Code	Description
C49.A0	Gastrointestinal stromal tumor, unspecified site
C49.A1	Gastrointestinal stromal tumor of esophagus
C49.A2	Gastrointestinal stromal tumor of stomach
C49.A3	Gastrointestinal stromal tumor of small intestine
C49.A4	Gastrointestinal stromal tumor of large intestine
C49.A5	Gastrointestinal stromal tumor of rectum
C49.A9	Gastrointestinal stromal tumor of other sites

PDGFRA, platelet-derived growth factor receptor alpha.

Please see the Important Safety Information on [pages 3-4](#) and full [Prescribing Information](#) for AYVAKIT.